L Number	Hits	Search Text	DB	Time stamp
Number		//	*****	2022/05/25
-	4	((annotation near4 link\$1) and (predetermin\$4 and keyword) and (user	USPAT; US-PGPUB	2003/05/25 20:28
	_	near2 interface)) and 345/\$.ccls.		
-	6	((annotation and link\$1) and (predetermin\$4 and keyword and cue) and	USPAT; US-PGPUB	2003/05/22 16:20
		(user near2 interface)) and 345/\$.ccls.		
-	6	((annotation and link\$1) and (keyword and cue) and (user near2 interface)) and	USPAT; US-PGPUB	2003/05/22
·	42	345/\$.ccls. ((annotation and link\$1) and (cue) and		2003/05/22
_	43	(user near2 interface)) and 345/\$.ccls.	USPAT; US-PGPUB	16:33
_	1	("6226655").PN.	USPAT; US-PGPUB	2003/05/22 16:30
_	12	((annotation and link\$1) and (map\$4 and	USPAT;	2003/05/22
		request\$3) and (web and (java near3 applet)) and (user near2 interface)) and	US-PGPUB	16:42
		345/\$.ccls.		
_	63	((annotation and link\$1) and (map\$4 and request\$3) and (web and (java near3	USPAT; US-PGPUB	2003/05/22 16:43
	_	applet))and (user near2 interface))	Habam.	2007/05/22
-	7	(((annotation and link\$1) and (map\$4 and request\$3) and (web and (java near3	USPAT; US-PGPUB	2003/05/22
		applet)) and (user near2 interface))) and @pd <= "19991217"	OS FGFOD	17.11
_	1	dpd <= "19991217" ("6275223").PN.	USPAT;	2003/05/22
			US-PGPUB	17:11
-	1	("6275223").PN.	USPAT;	2003/05/25
	,	#F 422002# PW	US-PGPUB	20:28
_	1	"5432903".PN.	USPAT	2003/05/25 21:06
_	1	"5481667".PN.	USPAT	2003/05/25
	1	"5493658".PN.	USPAT	2003/05/25 21:08
-	1	"5602996".PN.	USPAT	2003/05/25 21:08
-	1	"5717879".PN.	USPAT	2003/05/25 21:09
_	1	"5786815".PN.	USPAT	2003/05/25 21:09
-	1	"5798757".PN.	USPAT	2003/05/25 21:09
_	1	"5953011".PN.	USPAT	2003/05/25
-	9	("5432903" "5481667" "5493658" "5602996" "5717879" "5786815" "5798757" "5883639" "5953011").pn.	USPAT	2003/05/25 21:10
-	2	6259445.URPN.	USPAT	2003/05/25
_	0	6456303.URPN.	USPAT	2003/05/25
_	0	6456303.URPN.	USPAT	21:14 2003/05/25 21:14
_	20	("5122972" "5442759" "5577186" "5581684" "5715415" "5721853" "5754176" "5760771" "5799292"	USPAT	2003/05/25 21:14
		"5801702" "5825355" "5825356" "5835092" "5861884" "5877757" "5933140" "6009429" "6014134" "6236989" "6259445").PN.		
_	1816	java near4 (document\$ or method)	USPAT; US-PGPUB	2003/05/26
_	28	java near4 (document\$ and method)	USPAT; US-PGPUB	2003/05/26
-	20	java near4 (documen\$4 and method)	USPAT; US-PGPUB	2003/05/26
_	1276	(java or sun) same (documen\$4 and method)	USPAT; US-PGPUB	2003/05/26 15:13

		,		
	4	(((java or sun) same (documen\$4 and	USPAT;	2003/05/26
	_	method)) and 345/\$.ccls.) and annotation	US-PGPUB	13:38
-	6	6247020.URPN.	USPAT	2003/05/26
		/HD-26422H HEZ24002H HEZ40444H	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	15:11
-	23	("Re36422" "5734882" "5740444"	USPAT	2003/05/26
		"5768510" "5794259" "5801689" "5802334" "5815154" "5815415"		15:12
		"5826254" "5835712" "5838906"		
		"5842020" "5845298" "5848424"		
		3842020		
		"5877766" "5917498" "5953525"		
		"6026362" "6078327").PN.		
_	18	(java or sun) same (documen\$4 and method)	USPAT;	2003/05/26
	1	and (applic\$4 near3 browser)	US-PGPUB	15:17
-	2	(java or sun) same (documen\$4 or method)	USPAT;	2003/05/26
		and (app near3 browser)	US-PGPUB	15:18
-	0	(java or sun) same (documen\$4 or method)	USPAT;	2003/05/26
		and (app adj browser)	US-PGPUB	15:19
-	1	(java or sun) and (documen\$4 or method)	USPAT;	2003/05/26
		and (app adj browser)	US-PGPUB	15:20
-	2	(java or sun) and (documen\$4 or method)	USPAT;	2003/05/26
	1	and (AppBrowser)	US-PGPUB	15:22
-	5	(java or cod\$4) same (appli\$5 near3	USPAT;	2003/05/26
		develop\$4) and (debug\$4 near4 (software	US-PGPUB	15:25
		or tool))		
-	1	("6392671").PN.	USPAT;	2003/05/27
			US-PGPUB	10:55
-	251	(java or sun) same (documen\$4 and method)	USPAT;	2003/05/27
		and (app\$6 near3 browser)	US-PGPUB	17:13
-	92	((java or sun) same (documen\$4 and method)) and 345/\$.ccls.	USPAT; US-PGPUB	2003/05/27
1_	14	(((java or sun) same (documen\$4 and	USPAT;	2003/05/27
-	14	method)) and 345/\$.ccls.) and CGI	US-PGPUB	17:13
_	13	((((java or sun) same (documen\$4 and	USPAT;	2003/05/27
	13	method)) and 345/\$.ccls.) and CGI) and	US-PGPUB	17:14
		(server and (web near3 browser))	00 10102	-,
_	23	("Re36422" "5734882" "5740444"	USPAT	2004/03/30
		"5768510" "5794259" "5801689"		17:07
		"5802334" "5815154" "5815415"		
		"5826254" "5835712" "5838906"		
		"5842020" "5845298" "5848424"		
		"5852439" "5864676" "5870559"		
		"5877766" "5917498" "5953525"		
		"6026362" "6078327").PN.		
-	11	6247020.URPN.	USPAT	2004/03/30
	1 47		Henam.	17:09
-	147	minard.in.	USPAT;	2004/03/30
			US-PGPUB; EPO	11,:10
_	101	minard.in. and @pd <=19970717	USPAT;	2004/03/30
			US-PGPUB;	17:40
	1		EPO	
_	2	("9728073").PN.	USPAT;	2004/03/30
			US-PGPUB;	17:41
	1		DERWENT	
-	1	("6259445").PN.	USPAT;	2004/03/30
			US-PGPUB;	17:41
			EPO	
_	23	("Re36422" "5734882" "5740444"	USPAT	2004/04/05
		"5768510" "5794259" "5801689"		13:57
	1	"5802334" "5815154" "5815415"		
	I	"5826254" "5835712" "5838906" "5842020" "5845209" "5848424"		
	1	"5842020" "5845298" "5848424" "5852420" "5864676" "5870550"		
		"5852439" "5864676" "5870559" "5877766" "5917498" "5953525"		.
		"6026362" "6078327").PN.		
_	9	("4821211" "5491795" "5621905"	USPAT	2004/04/05
		"5644736" "5701137" "5815154"		13:57
		"5838319" "5917492" "5923328").PN.		
-	1	"RE36422".PN.	USPAT;	2004/04/05
			US-PGPUB	13:59

_	1	"5734882".PN.	USPAT;	2004/04/05
			US-PGPUB	13:59
-	. 1	"5740444".PN.	USPAT;	2004/04/05
_	1	"5768510".PN.	US-PGPUB USPAT;	14:00 2004/04/05
	+	3700310 .IN.	US-PGPUB	14:02
_	1	"5794259".PN.	USPAT;	2004/04/05
			US-PGPUB	14:03
-	1	"5801689".PN.	USPAT;	2004/04/05
		W5000004W	US-PGPUB	14:03
-	1	"5802334".PN.	USPAT; US-PGPUB	2004/04/05
_	1	"5815154".PN.	USPAT;	2004/04/05
•	-	3010101	US-PGPUB	14:04
-	1	"5826254".PN.	USPAT;	2004/04/05
	_		US-PGPUB	14:05
-	1	"5835712".PN.	USPAT;	2004/04/05
_	1	"5838906".PN.	US-PGPUB USPAT;	14:05
	1	3030300 .FM.	US-PGPUB	14:06
_	1	"5842020".PN.	USPAT;	2004/04/05
			US-PGPUB	14:06
-	1	"5845298".PN.	USPAT;	2004/04/05
	,	"5945209" DN	US-PGPUB	14:08
-	1	"5845298".PN.	USPAT; US-PGPUB	2004/04/05
_	1	"5848424".PN.	USPAT;	2004/04/05
	_		US-PGPUB	14:08
-	1	"5852439".PN.	USPAT;	2004/04/05
			US-PGPUB	14:09
-	1	"5864676".PN.	USPAT; US-PGPUB	2004/04/05
_	1	"5870559".PN.	USPAT;	2004/04/05
	_	0070003 11W.	US-PGPUB	14:10
-	1	"5852439".PN.	USPAT;	2004/04/05
			US-PGPUB	14:12
-	1	"5864676".PN.	USPAT;	2004/04/05
_	1	"5870559".PN.	US-PGPUB USPAT;	14:12 2004/04/05
_	1	3070339 .FN.	US-PGPUB	14:12
_	1	"5877766".PN.	USPAT;	2004/04/05
	1		US-PGPUB	14:13
-	1	"5953525".PN.	USPAT;	2004/04/05
_	1	"6026362".PN.	US-PGPUB USPAT;	14:13
_	1	0020302 .FN.	US-PGPUB	14:13
-	1	"6078327".PN.	USPAT;	2004/04/05
	ł		US-PGPUB	14:13
-	. 6	("5095423" "5117349" "5129082"	USPAT	2004/04/05
_	14	"5339433" "5432903" "5557730").PN. 5740444.URPN.	USPAT	14:27
-	14	J/IJIII.UNFN.	OSEKI	14:28
-	2	(Frid-Nielsen.in.) and 345/854.ccls.	USPAT;	2004/04/05
			US-PGPUB;	14:31
	_	(But d. Wi-1 and du.) at 3 045 /4 3	EPO	2004/04/25
-	5	(Frid-Nielsen.in.) and 345/\$.ccls.	USPAT; US-PGPUB;	2004/04/05
			EPO	17.31
_	4262	(predetermin\$3 with (application\$1 or	USPAT;	2004/04/05
1		program or link\$1)) same (annotation or	US-PGPUB;	17:13
		message\$1 or notif\$4)	EPO	0004/05/05
-	4	((predetermin\$3 with (application\$1 or	USPAT;	2004/04/05
		program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.	US-PGPUB; EPO	16:16
_	247		USPAT;	2004/04/05
		program or link\$1)) same (annotation or	US-PGPUB;	16:16
		message\$1 or notif\$4)) and 345/\$.ccls.	EPO	

,	, 243	(((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/04/05 16:16
		not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)		
-	101	<pre>((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and</pre>	USPAT; US-PGPUB; EPO	2004/04/05 16:20
-		345/854.ccls.)) and @pd <= "20001212" (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212")	USPAT; US-PGPUB; EPO	2004/04/05 16:20
- *	4015	and (web or (web adj browser)) ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or	USPAT; US-PGPUB; EPO	2004/04/05
		message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with		
		<pre>(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or</pre>		
		message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or		
		<pre>((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1))</pre>		
·		<pre>same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))</pre>		

-	0	(((predetermin\$3 with (application\$1 or	USPAT;	2004/04/05
		program or link\$1)) same (annotation or	US-PGPUB;	16:25
		<pre>message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or</pre>	EPO	
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and 345/854.ccls.)		
		or (((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) or ((((predetermin\$3 with		
İ		(application\$1 or program or link\$1))		
		same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) or ((((predetermin\$3		
		with (application\$1 or program or		
		link\$1)) same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or		
		((((((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) not (((predetermin\$3 with		
		(application\$1 or program or link\$1))		
		same (annotation or message\$1 or		
		notif\$4)) and 345/854.ccls.)) and @pd <=		
		"20001212") and (web or (web adj browser))))) and 345/\$.ccls.		
_	968	(((predetermin\$3 with (application\$1 or	USPAT;	2004/04/05
		program or link\$1)) same (annotation or	US-PGPUB;	16:26
		message\$1 or notif\$4)) not	EPO	
		((((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and 345/854.ccls.)		
		or (((predetermin\$3 with (application\$1	i	
		or program or link\$1\\ same (appotation	1	
		or program or link\$1)) same (annotation or message\$1 or notif\$4)) and		
		or message\$1 or notif\$4)) and		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1))		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or program or link\$1)) same (annotation or		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1))		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.)) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and @pd <=		
		or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.)) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and		

- 386	((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj browser)))) and (user mear2 interface)) and (program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or prog	USPAT; US-PGPUB; EPO USPAT; US-PGPUB; EPO	2004/04/05 16:27
	message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation		
	and (web or (web adj brower))) and annotation		

Composition Composition				
<pre>((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and</pre>	371	program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or	US-PGPUB;	
(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and		message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface))		

or program or link\$1]) same (annotation or message\$1 or notif\$4) nor company of link\$1]) same (annotation or message\$1 or notif\$4) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) and \$9d <= 22002122*, or (((predetermin\$3 with (application\$1 or message\$1 or notif\$4)) and 345/8.ccls.) and \$9d <= 22002122*, or (((predetermin\$3 with (application\$1 or message\$1 or notif\$4)) and (((predetermin\$4)) and (((predetermin\$3 with (application\$1) or message\$1 or notif\$4)) and ((((predetermin\$3 with (application\$1) or message\$1 or notif\$4)) and ((((predetermin\$3 with (application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (((((predtermin\$3 with ((application\$1)) or ((((((predtermin\$3 with ((application\$1)) or ((((((((predtermin\$3 with ((((((((((((((((((((((((((((((((((((
or messages] or notifs4) not ((((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs4) and 345/854.cols.) or ((((predetermins3 with (applications1) companies of the companies of th	_	364	((((((predetermin\$3 with (application\$1	USPAT;	2004/04/05
<pre>((((predetermin33 with (application31 or program or link\$1]) same (annotation or message\$1 or notif\$4]) and 345/854.ccls.) or ((predetermin33 with (application31) or program or link\$1]) same (annotation 345/85 ccls.) or (((predetermin33 with (application31 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin33 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4)) and 345/85/3.ccls.) not (((predetermin33 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4) and 345/85/3.ccls.) not (((predetermin33 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$4]) and 345/854.ccls.)) and \$9d <= "20001212") or (((((predetermin33 with (application\$1 or message\$1 or notif\$4]) and 345/854.ccls.)) and \$9d <= "20001212") and 345/854.ccls.)) and \$10 or program or link\$1)) same (annotation or message\$1 or notif\$4]) and 345/854.ccls.)) and \$9d <= "20001212") and ((((predetermin\$3 with (application\$1 or message\$1 or notif\$4]) and 345/854.ccls.) and \$10 or notif\$4]) and 345/854.ccls.)) and \$10 or notif\$4]) and 345/854.ccls.) or notif\$4]) and and and and annotation or nessage\$1 or notif\$4]) and and annotation or message\$1 or notif\$4]) and and annotation or notif\$4]) and and annotation or notif\$4]) and annotation or notif\$4]) and and annotation or n</pre>				US-PGPUB;	16:35
program or link31) same (Annotation or messages) or notifs4); and 345/854.ccls.) or (((predetermin33 with (application31 or program or link31)) same (annotation or messages) or notifs4); and 345/8.ccls.) or ((((predetermin33 with (application31 or notifs4)) and 345/8.ccls.) not (((predetermin33 with (application31 or program or link31)) same (annotation or messages) or notifs4); and 345/8.ccls.) or ((((predetermin33 with (application31 or messages) or notifs4)) and (annotation or messages) or notifs4); and (annotation or messages) or notifs4); and (annotation or messages) or notifs4); and (((predetermin33 with (application31 or program or link31)) same (annotation or messages) or notifs4); and ((((predetermin33 with (application31 or program or link31)) same (annotation or messages) or notifs4); and (((((((((((((((((((((((((((((((((((1	or message\$1 or notif\$4)) not	EPO	
message\$1 or notif\$41) and 345/854.ccls.) or (((predetermin\$3 with (application\$1) or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/854.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$54.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$11)) same (annotation or message\$1 or notif\$41) and 345/\$54.ccls.) and (pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$11)) same (annotation or message\$1 or notif\$41) and 345/\$5.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$11)) same (annotation or message\$1 or notif\$41) and 345/\$5.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$11)) same (annotation or message\$1 or notif\$41) and 345/\$5.ccls.) and (when or (web ad) browser[1])) and (defer near2 interface)) browser[1]) and (defer near2 interface)) and (annotation or message\$1 or notif\$41) and 345/\$5.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1) or notif\$41) and 345/\$6.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/\$6.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/\$6.ccls.) or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/\$6.ccls.) or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/\$6.ccls.) and (web or (web ad) browser))))) and (web or					
or (((predetermin3) with (application3) or program or link31)) same (annotation or message\$1 or notif\$4()) and 345/5.cols.) or ((((predetermin3) with (application31 or program or link31)) same (annotation or message\$1 or notif\$4()) and 345/5.cols.) not ((((predetermin3) with (application31 or program or link31)) same (annotation or message\$1 or notif\$4()) and 345/854.cols.) or (((((predetermin3) with (application31 or program or link31)) same (annotation or message\$1 or notif\$4()) and 345/\$.cols.) not ((((predetermin3) with (application31 or program or link31)) same (annotation or message\$1 or notif\$4()) and 345/854.cols.)) and @pd <= "20001212") or ((((((predetermin3) with (application3) or program or link31)) same (annotation or message\$1 or notif\$4()) and or message\$1 or notif\$4()) and or message\$1 or notif\$4()) and ((((((predetermin5) with (application3) or program or link31)) same (annotation or message\$1 or notif\$4()) and ((((((((((((((predtermin5) with ((((((((((((((((((((((((((((((((((((
or program or link\$1]) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) or ((((predetermin33 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) not (((predetermin33 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) or ((((predetermin33 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$4.ccls.) not (((predetermin33 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin33 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) and \$9d < "20001212") or ((((((predetermin53 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) and \$9d < "2000122") and (web or (web ad) browser))) and (message\$1 or notif\$4)) not ((((((predetermin53 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((((((((predetermin53 with (application51 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((((((((((((((((((((((((((((((((
or messages1 or notifs41) and 345/s.ccls.) or ((((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 345/s.ccls.) not (((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 35 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 345/s.ccls.) not (((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 345/s654.ccls.)) and @pd <= "20001212") (((((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 345/s654.ccls.)) and @pd <= "20001212") or program or links1)) same (annotation or messages1 or notifs41) and 345/s.ccls.) not (((predetermins3) with 345/s.ccls.) not (((predetermins3)) same (annotation or messages1 or notifs41) and 345/s64.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and ((annotation or message)) not (((((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) not ((((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 345/s.ccls.) or ((((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 345/s.ccls.) or ((((predetermins3 with (applications1 or program or links1)) same (annotation or messages1 or notifs41) and 345/s.ccls.) not ((((((predetermins3 with (applications1) or program or links1)) same (annotation or messages1 or notifs41) and 345/s.ccls.) not (((((((((predtermins3 with ((((((((((((((((((((((((((((((((((((
345/S.ccls.) or ((((predetermin3) with (application5) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/S.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (345/S.ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (annotation or message\$1 or notif\$4)) and (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (((((((((((((((((((((((((((((((((((or program or link\$1)) same (annotation		
(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and (gd <= "20001212") or (((((predetermin\$3 with (application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.)) and (gd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message\$1) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (annotation or message\$1) not ((((((((((((((((((((((((((((((((((((or message\$1 or notif\$4)) and		•
same (annotation or message\$1 or notif\$41) and 345/\$.ccis.) not (((predetermin\$3 with (application\$1 or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$5.4.ccls.)] or ((((tpredetermin\$3 with (application\$3) or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not (((predetermin\$3 with (application\$1 or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$5.4.ccis.)] and (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.4.ccis.)] and (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.]] not (((predetermin\$3 with (application\$1) or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.]] and (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and (web or (web adj browser))]) and (user near2 interface)) and (web or (web adj browser))]) and (user near2 interface)) and (annotation or message\$1 or notif\$41) not ((((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not ((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not ((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not ((predetermin\$3 wit	*		345/\$.ccls.) or ((((predetermin\$3 with		
same (annotation or message\$1 or notif\$41) and 345/\$.ccis.) not (((predetermin\$3 with (application\$1 or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$5.4.ccls.)] or ((((tpredetermin\$3 with (application\$3) or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not (((predetermin\$3 with (application\$1 or program or link\$11) same (annotation or message\$1 or notif\$41) and 345/\$5.4.ccis.)] and (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.4.ccis.)] and (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.]] not (((predetermin\$3 with (application\$1) or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.]] and (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and (web or (web adj browser))]) and (user near2 interface)) and (web or (web adj browser))]) and (user near2 interface)) and (annotation or message\$1 or notif\$41) not ((((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not ((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not ((predetermin\$3 with (application\$1 or program or link\$1]) same (annotation or message\$1 or notif\$41) and 345/\$5.ccis.) not ((predetermin\$3 wit			(application\$1 or program or link\$1))		
(((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((((predetermin\$3 with (application\$3 or program or link\$1)) and (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not (((predetermin\$3 with (application\$1)) and (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) and (web or (web ady brower!)) and (annotation or message\$1) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) and \$9d <= "20001212" (and (web or (w					
program or link\$1]) same (annotation or message\$1 or notif\$4) and 345/854.ccls.]) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.565.ccls.)) and \$qd < "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and \$qd < "20001212") and (web or (web ad) browser)))) and (user near2 interface)) and (web or (web ad) browser)))) and (user near2 interface)) and (annotation or message\$1 or notif\$4)) and (annotation or message\$1 or notif\$4)) and ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((((((((((((((((((((((((((((((((((notif\$4)) and 345/\$.ccls.) not		
program or link\$1]) same (annotation or message\$1 or notif\$4) and 345/854.ccls.]) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.565.ccls.)) and \$qd < "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and \$qd < "20001212") and (web or (web ad) browser)))) and (user near2 interface)) and (web or (web ad) browser)))) and (user near2 interface)) and (annotation or message\$1 or notif\$4)) and (annotation or message\$1 or notif\$4)) and ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((((((((((((((((((((((((((((((((((((((predetermin\$3 with (application\$1 or		
messages1 or notifs41) and 345/854.ccls.)) or ((((()tpredetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/5.ccls.) not ((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((()tpredetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/3.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web ad) browser))))) and (user near2 interface)) and (web or (web ad) brower)) and (annotation or message\$) not ((((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((()predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((()predetermin\$3 with (application\$1 or message\$1 or notif\$4)) and 345/5.ccls.) or (((()predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((()predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) not (((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not ((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not ((()tpredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$					
with (applications) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$654.ccls.)) and \$9d <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.)) and \$\$9d <= "20001212") and (web or (web ad) browser)))) and (user near2 interface)) and (web or (web ad) browser)))) and (user near2 interface)) and (annotation or message\$1 or notif\$4)) and (annotation or message\$1 or notif\$4)) and (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$64.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$64.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$64.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$64.ccls.) nor (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$65.ccls.) nor ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$64.ccls.) nor ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$65.ccls.) nor (((((((((((((((((((((((((((((((((((
with (applications) or program or link\$1) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$654.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower)) and (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$4.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (appl					
link\$1) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and \$9p(<= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$6.ccls.)) and \$9d <= "20001212") and (web or (web add) brower)))) and (user near2 interface) and (web or (web add) brower))) and ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$6.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$4.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$1.ccls.) or (((predetermin\$3 with (application\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$1.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$1.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$1.ccls.) and ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) not (((predetermin\$3 with (application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) not (
<pre>notifs4)) and 345/s.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/85.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web ad) browser)))) and (annotation or message\$1) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/s.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/s.ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/s.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/854.ccls.)) or ((((((((((((((((((((((((((((((((((</pre>			1		
(((predetermin33 with (application31 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854.ccls.)) and \$9p4 <= "20001212") or ((((((predetermin33 with (application31 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$54.ccls.)) and \$9p4 <= "20001212") and (web or (web ad) brower)))) and (user near2 interface)) and (web or (web ad) brower))) and (annotation or message\$1) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) or (((predetermin\$3 with (application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.) not ((predetermin\$3 with					
program or links1) same (annotation or messages1 or notifs4) and 345/854.ccls.)) and @pd <= "20001212") or (((((((()cpedetermins3) with (applications1) or program or links1)) same (annotation or messages1 or notifs4)) and 345/8, ccls.) not (((predetermins3 with (applications1) or program or links1)) same (annotation or messages1 or norifs4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj brower)))) and (annotation or message)) not ((((((((predetermins3) with (applications1) or program or links1)) same (annotation) or messages1 or notifs4)) not (((((((((((((((((((((((((((((((((((
message\$1 or notif\$4)) and 345/854.cols.) and 6pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.cols.)) and 6pd <= "20001212") and (web or (web adj browser))) and (user near2 interface)) and (web or (web adj browser))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.cols.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.cols.) not (((((((predetermin\$3 with ((((((((((((((((((((((((((((((((((((
345/854.ccls.)) and @pd <= "20001212") or (((((((((((((((((((((((((((((((((((
<pre>((((((predetermin\$3 with (application\$1) or program or link\$1) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1); same (annotation or message\$1 or notif\$4) and 345/864.ccls.)) and @pd <= "20001212") and (web or (web adj browser!))) and (user near2 interface)) and (web or (web adj brower)) and (annotation or message)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8c.cls.) not ((((predetermin\$3) with ((application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((((dredetermin\$3) with ((application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and (web or (web ad) browser)))) and</pre>	,				
or program or link\$1) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))) and (user near2 interface)) and (web or (web adj browser))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or or message\$1 or notif\$4)) and 345/\$.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) an					
or message\$1 or notif\$4) and 345/\$.ccis.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccis.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower)) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/8.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/8.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/84.ccls.) and @do <= "20001212") and (web or (web adj browser))) and (web or (web adj browser))) and (web or (web adj browser))) and (web or (web					
345/\$.ccis.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccis.)) and @pd <= "20001212") and (web or (web adj browser))) and (user near2 interface)) and (web or (web adj browser))) and (annotation or message\$1) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.)) and (web or (web adj browser))) and					
<pre>(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower)) and (annotation or message) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((((((((((((((((((((((((((((((((</pre>			,		
<pre>same (annotation or message\$1 or notif\$4) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/8.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) not ((((predetermin\$3 with (application\$1 or program or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj) browser))))) and (user near2 interface)) and (web or (web adj) browser)))) and (web or (web adj) browser))) and</pre>				1	
notif\$4) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj) browser)))) and (user near2 interface)) and (web or (web adj) brower)) and (annotation or message) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or notif\$4) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and @pd <= "20001212") or (((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and @pd <= "20001212") or ((((((((((((((((((((((((((((((((((((
<pre>"20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower)) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345,854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345,5c.cls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345,5c.cls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345,8c.cls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345,8c.cls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345,8c.cls.) and (((predetermin\$3 with (application\$1 or program or cor program or link\$1)) same (annotation or message\$1 or notif\$4) and 345,8c.cls.) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345,8c.cls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345,8c.cls.)) and @pd <= "2001212") and (web or (web adj browser))))) and</pre>					
browser)))) and (user near2 interface)) and (web or (web adj brower)) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((((((((((((((((((((((((((((((((((
and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$c.cls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((((((((((((((((((((((((((((((((((
<pre>(annotation or message)) not ((((((((((((((((((((((((((((((((((((</pre>					
<pre>((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) and @pd <= "20001212") or or motif\$4) and 345/\$.ccls.) and ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) and ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) and (web or (web adj browser)))) and (web or (web adj browser)))) and</pre>			The state of the s		
or program or link\$1)) same (annotation or message\$1 or notif\$4) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.) and ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.) and @pd <= "20001212") and (upplication\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.) and (((((((((((((((((((((((((((((((((((
or message\$1 or notif\$4)) not ((((() (() () () () () () () () () () ()					
<pre>((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/654.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.)) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
program or link\$1) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((web adj browser))))) and (web or (web adj browser)))) and (web or (web adj browser)))) and (web or (web adj brower))) and					
message\$1 or notif\$4)) and 345/854.ccls.) or (((predetermin\$3 with (application\$1) or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and					
or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((((((((((((((((((((((((((((((((((
or program or link\$1) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj browser))) and					'
or message\$1 or notif\$4)) and 345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and					
345/\$.ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj browser))) and		İ			
<pre>(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					,
<pre>same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.)) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and					
<pre>(((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					-
program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854.ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not ((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))) and (web or (web adj browser))) and (web or (web adj brower))) and					
message\$1 or notif\$4)) and 345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and					
<pre>345/854.ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
<pre>with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and					
<pre>notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and</pre>		1			<u>'</u>
<pre>(((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and					
<pre>message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
345/854.ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and					
<pre>(((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and					
or message\$1 or notif\$4)) and 345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and					
345/\$.ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and		1			
<pre>(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
<pre>same (annotation or message\$1 or notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and</pre>					
notif\$4)) and 345/854.ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and					
"20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and					
browser))))) and (user near2 interface)) and (web or (web adj brower))) and					
and (web or (web adj brower))) and					
				<u> </u>	
annotation)					
			annotation)		

	03	[//////dataumine3th /ampliantione1	TICDAM.	1 2004 /04 /05
_	93	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/04/05
		or program or link\$1)) same (annotation	US-PGPUB;	16:36
		or message\$1 or notif\$4)) not	EPO	
		((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and 345/854.ccls.)		
		or (((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) or ((((predetermin\$3 with		
		(application\$1 or program or link\$1))		
		same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not		ĺ
		(((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) or ((((predetermin\$3		
		with (application\$1 or program or		
		link\$1)) same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) and @pd <= "20001212") or		
		(((((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) not (((predetermin\$3 with		
		(application\$1 or program or link\$1))		
		same (annotation or message\$1 or		1
		notif\$4)) and 345/854.ccls.)) and @pd <=		
		"20001212") and (web or (web adj	•	
		<pre>browser)))) and (user near2 interface))</pre>		
		and (web or (web adj brower))) and		
		(annotation or message)) not		
		(((((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) not		
		((((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and 345/854.ccls.)		
		or (((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) or ((((predetermin\$3 with		
		(application\$1 or program or link\$1))		
		same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) or ((((predetermin\$3		
		with (application\$1 or program or		
		link\$1)) same (annotation or message\$1 or		
	-	notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) and @pd <= "20001212") or		
		((((((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) not (((predetermin\$3 with		
		<pre>(application\$1 or program or link\$1))</pre>		
		same (annotation or message\$1 or		
		notif\$4)) and 345/854.ccls.)) and @pd <=		
		"20001212") and (web or (web adj		
		browser))))) and (user near2 interface))		
		and (web or (web adj brower))) and		
		annotation)) and (predetermin\$4 near4		_
		application\$1)		

20	\[\(\lambda \rangle \lambda \rangle	TYCENE	2004/04/05
_ 20	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/04/05
	or program or link\$1)) same (annotation or message\$1 or notif\$4)) not	US-PGPUB;	16:36
]		EPO	
	((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or		
	message\$1 or notif\$4)) and 345/854.ccls.)		
1	or (((predetermin\$3 with (application\$1		
	or program or link\$1)) same (annotation		
	or message\$1 or notif\$4)) and		
	345/\$.ccls.) or (((predetermin\$3 with		
]	(application\$1 or program or link\$1))		
	same (annotation or message\$1 or		
	notif\$4)) and 345/\$.ccls.) not		
	(((predetermin\$3 with (application\$1 or		
	program or link\$1)) same (annotation or		
	message\$1 or notif\$4)) and		
	345/854.ccls.)) or ((((predetermin\$3		
•	with (application\$1 or program or		
	link\$1)) same (annotation or message\$1 or		
	notif\$4)) and 345/\$.ccls.) not		
	(((predetermin\$3 with (application\$1 or		
	program or link\$1)) same (annotation or		
	message\$1 or notif\$4)) and		
	345/854.ccls.)) and @pd <= "20001212") or		
	((((((predetermin\$3 with (application\$1		
	or program or link\$1)) same (annotation		
	or message\$1 or notif\$4)) and		
	345/\$.ccls.) not (((predetermin\$3 with		
	(application\$1 or program or link\$1))		
	same (annotation or message\$1 or		
	notif\$4)) and 345/854.ccls.)) and @pd <=		
	"20001212") and (web or (web adj		
	browser))))) and (user near2 interface))	•	1
	and (web or (web adj brower))) and		
	(annotation or message)) not		
	((((((predetermin\$3 with (application\$1		
	or program or link\$1)) same (annotation		
	or message\$1 or notif\$4)) not		
	((((predetermin\$3 with (application\$1 or		
	program or link\$1)) same (annotation or		
	message\$1 or notif\$4)) and 345/854.ccls.)		
	or (((predetermin\$3 with (application\$1		
	or program or link\$1)) same (annotation		
	or message\$1 or notif\$4)) and		
	345/\$.ccls.) or ((((predetermin\$3 with		
	(application\$1 or program or link\$1))		
	same (annotation or message\$1 or		
	notif\$4)) and 345/\$.ccls.) not		
	(((predetermin\$3 with (application\$1 or		
	program or link\$1)) same (annotation or		
	message\$1 or notif\$4)) and		
	345/854.ccls.)) or ((((predetermin\$3		
	with (application\$1 or program or		
	link\$1)) same (annotation or message\$1 or		
	notif\$4)) and 345/\$.ccls.) not		
	(((predetermin\$3 with (application\$1 or		
	program or link\$1)) same (annotation or		
	message\$1 or notif\$4)) and		
	345/854.ccls.)) and @pd <= "20001212") or		
	(((((predetermin\$3 with (application\$1		
	or program or link\$1)) same (annotation		
	or message\$1 or notif\$4)) and		
	345/\$.ccls.) not (((predetermin\$3 with		
	(application\$1 or program or link\$1))		
	same (annotation or message\$1 or		
	notif\$4)) and 345/854.ccls.)) and @pd <=		
	"20001212") and (web or (web adj		
	browser))))) and (user near2 interface))		
	and (web or (web adj brower))) and		
	annotation)) and (predetermin\$4 near		
L	application\$1)		

				(
-	61	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/04/05
		or program or link\$1)) same (annotation	US-PGPUB;	16:36
		or message\$1 or notif\$4)) not	EPO	
		((((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and 345/854.ccls.)		
		or (((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) or ((((predetermin\$3 with		
		(application\$1 or program or link\$1))		
		same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or		
		' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) or ((((predetermin\$3		
		with (application\$1 or program or		
		link\$1)) same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) and @pd <= "20001212") or		
		(((((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
	İ	or message\$1 or notif\$4)) and		
		345/\$.ccls.) not (((predetermin\$3 with		
		(application\$1 or program or link\$1))		
		same (annotation or message\$1 or		
		notif\$4)) and 345/854.ccls.)) and @pd <=		
		"20001212") and (web or (web adj		
		<pre>browser))))) and (user near2 interface))</pre>		
		and (web or (web adj brower))) and		
		(annotation or message)) not		
		(((((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) not		
		((((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and 345/854.ccls.)		
		or (((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) or ((((predetermin\$3 with		
		<pre>(application\$1 or program or link\$1))</pre>		
		same (annotation or message\$1 or		
1		notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or		
		program or link\$1)) same (annotation or		İ
		message\$1 or notif\$4)) and		
	ļ			
		345/854.ccls.)) or ((((predetermin\$3		
		with (application\$1 or program or		
		link\$1)) same (annotation or message\$1 or		
		notif\$4)) and 345/\$.ccls.) not		
		(((predetermin\$3 with (application\$1 or		
	ĺ	program or link\$1)) same (annotation or		
		message\$1 or notif\$4)) and		
		345/854.ccls.)) and @pd <= "20001212") or		
1		(((((predetermin\$3 with (application\$1		
		or program or link\$1)) same (annotation		
		or message\$1 or notif\$4)) and		
		345/\$.ccls.) not (((predetermin\$3 with		
		(application or program or link\$1))	-	
	1	same (annotation or message\$1 or		
		notif\$4)) and 345/854.ccls.)) and @pd <=		
		"20001212") and (web or (web adj		
		<pre>browser)))) and (user near2 interface))</pre>		
		and (web or (web adj brower))) and		
		annotation)) and (predetermin\$4 near3		
		application\$1)		

· -	252	(predetermin\$3 same (application\$1 or	USPAT;	2004/04/05
		program or link\$1)) same (annotation or message\$1 or notif\$4) and (debug\$3 and	US-PGPUB; EPO	17:17
_	8	software) ((predetermin\$3 same (application\$1 or	USPAT;	2004/04/05
_	•	program or link\$1)) same (application or	US-PGPUB;	17:14
		message\$1 or notif\$4) and (debug\$3 and	EPO	
		software)) and 345/\$.ccls.		
-	86		USPAT;	2004/04/05
:		program or link\$1)) same (annotation or	US-PGPUB;	17:18
		message\$1 or notif\$4) and (debug\$3 and	EPO	
		software)) and ((launch\$3 or load\$3) near4 program)		
_	85		USPAT;	2004/04/05
		program or link\$1)) same (annotation or	US-PGPUB;	18:09
		message\$1 or notif\$4) and (debug\$3 and	EPO	
		software)) and ((launch\$3 or load\$3)		
		near4 program)) not (((predetermin\$3 same		
		<pre>(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)</pre>		
		and (debug\$3 and software)) and		
		345/\$.ccls.)		
_	2325	cod\$4 and debugging same software	USPAT;	2004/04/05
			US-PGPUB;	18:10
			EPO	
_	899	cod\$4 same debugging same software	USPAT;	2004/04/05
			US-PGPUB; EPO	18:10
	1	(cod\$4 near4 debugging) same (software	USPAT;	2004/04/05
		same annotation)	US-PGPUB;	18:11
			EPO	
-	8	(cod\$4 near4 debugging) and (software	USPAT;	2004/04/05
		same annotation)	US-PGPUB; EPO	18:11
_	9	 (cod\$4 with debugging) and (software same	USPAT;	2004/04/05
		annotation)	US-PGPUB;	18:11
			EPO	
-	10	(cod\$4 with (debugging or debug)) and	USPAT;	2004/04/05
		(software same annotation)	US-PGPUB;	18:12
· .	65	(god\$4 and (debugging or debug)) and	EPO	2004/04/05
_	65	(cod\$4 and (debugging or debug)) and (software same annotation)	USPAT; US-PGPUB;	18:14
		(SSESTRATE SAME AIMISSACEON)	EPO	
_	55	((cod\$4 and (debugging or debug)) and	USPAT;	2004/04/05
		(software same annotation)) not ((cod\$4	US-PGPUB;	18:12
]	with (debugging or debug)) and (software	EPO	
_	306	same annotation)) (cod\$4 and (debugging or debug)) and	USPAT;	2004/04/05
_	306	(software and annotation)	USPAT; US-PGPUB;	18:25
		(borowaro and annobacron)	EPO EPO	20.20
_	251	((cod\$4 and (debugging or debug)) and	USPAT;	2004/04/05
		(software and annotation)) not (((cod\$4	US-PGPUB;	18:15
	1	and (debugging or debug)) and (software	EPO	
		same annotation)) not ((cod\$4 with (debugging or debug)) and (software same		
		annotation)))		
_	28	(((cod\$4 and (debugging or debug)) and	USPAT;	2004/04/05
		(software and annotation)) not (((cod\$4	US-PGPUB;	18:16
		and (debugging or debug)) and (software	EPO	
		same annotation)) not ((cod\$4 with		
		(debugging or debug)) and (software same annotation)))) and 345/\$.ccls.		
L	<u> </u>	amoracion/// and 343/3.CCIS.	l	

	223	(((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation))) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not ((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) and 345/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/04/05 18:16
	96		USPAT; US-PGPUB; EPO	2004/04/05 18:16
-	9		USPAT	2004/04/05 18:21
_	17		USPAT; US-PGPUB; EPO	2004/04/05 18:26
-	148	code and ((software near4 version) and annotation)	USPAT; US-PGPUB; EPO	2004/04/05 18:29
	142	(code and ((software near4 version) and annotation)) not ((((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation))) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation))) and 345/\$.ccls.)) and @pd <= "20001212")	USPAT; US-PGPUB; EPO	2004/04/05 18:27
-	200	(software near4 version\$1) and (compar\$4 and annotation)	USPAT; US-PGPUB; EPO	2004/04/05 18:29
		((software near4 version\$1) and (compar\$4 and annotation)) not ((code and ((software near4 version) and annotation)) not ((((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not ((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) and 345/\$.ccls.)) and @pd <= "20001212"))	USPAT; US-PGPUB; EPO	2004/04/05 18:32

_	610	((debugging or debug) same (tool or	USPAT;	2004/04/05
		software)) and (web or (web near3	US-PGPUB;	18:33
ŀ			1	10.55
		browser)) and (user near2 interface)	EPO	
-	63	(((debugging or debug) same (tool or	USPAT;	2004/04/05
		software)) and (web or (web near3	US-PGPUB;	18:33
		browser)) and (user near2 interface)) and	EPO EPO	10.33
			EPO	
		345/\$.ccls.		
i -	6	("4744028" "4807108" "4866628"	USPAT	2004/04/05
		"5119318" "5260868" "5369570").PN.	1	18:39
-	23	("Re36422" "5734882" "5740444"	USPAT	2004/04/05
		"5768510" "5794259" "5801689"		18:41
1		"5802334" "5815154" "5815415"		i
		"5826254" "5835712" "5838906"		
		"5842020" "5845298" "5848424"		
		"5852439" "5864676" "5870559"		
		"5877766" "5917498" "5953525"		
		"6026362" "6078327").PN.		
	0.55			0004/04/06
-	267	(visual near2 basic) same (microsoft same	USPAT;	2004/04/06
		environment)	US-PGPUB;	14:27
		·	EPO	
	40	((visual near2 basic) same (microsoft	USPAT;	2004/04/06
-	1 40		i '	
	1	same environment)) and 345/\$.ccls.	US-PGPUB;	13:45
			EPO	
1 -	11	("4901221" "5335320" "5339392"	USPAT	2004/04/06
	**	"5438659" "5555369" "5555370"		14:09
				13.03
		"5603034" "5613058" "5615367"		
		"5651108" "5664208").PN.		Į i
-	6	("5247693" "5297253" "5442746"	USPAT	2004/04/06
	_	"5444837" "5576946" "5631825").PN.		14:10
	227		**************************************	
-	227	((visual near2 basic) same (microsoft	USPAT;	2004/04/06
		<pre>same environment)) not (((visual near2</pre>	US-PGPUB;	14:27
		<pre>basic) same (microsoft same environment))</pre>	EPO	
		and 345/\$.ccls.)		
1_	81	(((visual near2 basic) same (microsoft	USPAT;	2004/04/06
	01		· ·	
		<pre>same environment)) not (((visual near2</pre>	US-PGPUB;	14:36
		<pre>basic) same (microsoft same environment))</pre>	EPO	
		and 345/\$.ccls.)) and (web or (web near2		
		browser))		
	15	("4710885" "4723210" "4739477"	USPAT	2004/04/06
_	13		USPAI	1
		"4969093" "5033008" "5129052"		14:30
		"5133051" "5181162" "5339392"		
		"5347632" "5491785" "5557722"		
		"5621875" "5630103" "5644776").PN.		
	30		HCDNm -	2004/04/06
ı ⁻	38	((((visual near2 basic) same (microsoft	USPAT;	2004/04/06
		<pre>same environment)) not (((visual near2</pre>	US-PGPUB;	14:55
		<pre>basic) same (microsoft same environment))</pre>	EPO	
		and 345/\$.ccls.)) and (web or (web near2		1
		browser))) and status		
				0004/04/05
-	0	(front near2 page) same (web or (web	USPAT;	2004/04/06
		near2 page)) same (microsoft and windows)	US-PGPUB;	14:57
1			EPO	
_	196	(front near2 page) and (web or (web near2	USPAT;	2004/04/06
1		page)) same (microsoft and windows)	· ·	
1		page// same (microsort and Windows)	US-PGPUB;	14:58
]			EPO	
-	9	((front near2 page) and (web or (web	USPAT;	2004/04/06
		near2 page)) same (microsoft and	US-PGPUB;	14:57
1		windows)) and 345/\$.ccls.	EPO EPO	
[_	107			2004/04/05
i - !	187	((front near2 page) and (web or (web	USPAT;	2004/04/06
1		near2 page)) same (microsoft and	US-PGPUB;	14:58
		<pre>windows)) not (((front near2 page) and</pre>	EPO	l [']
[1		(web or (web near2 page)) same (microsoft		1
		and windows)) and 345/\$.ccls.)		
Į i	ا م م		110000	0004/04/05
-	14	("5608874" "5706502" "5710883"	USPAT	2004/04/06
		"5715397" "5745360" "5752022"		15:00
		"5778367" "5802299" "5841432"		j i
1	ļ	"5845084" "5862346" "5870552"		
	L	"5890170" "5892909").PN.		<u> </u>